



















Cork backing for greater temperature and sound insulation Matching moldings available

Wide planks – 7"

Also available with foam backing (Cove collection)

WARRANTY

15 years

Residential Use: Lifetime

General Commercial Use:

Waterproof:
Lifetime
Petproof:
Lifetime

SAMPLE FORMAT

Strap set
Display board (16" x 18")
Flip board (21" x 36")
Plank (MTO)

INSTALLATION

Floating
Suitable over radiant heat
Can be installed on all floor levels including high-traffic areas
Can be installed in 3-season cottages























Foam backing for greater temperature and sound insulation Phthalates free

Matching moldings available

Also available with cork backing (Playa collection)

WARRANTY

Residential Use: Lifetime **Light Commercial Use:**

5 years

Waterproof: Lifetime Petproof: Lifetime

SAMPLE FORMAT

Strap set Display board (16" x 18") Flip board (21" x 36") Plank (MTO)

INSTALLATION

Floating Suitable over radiant heat Can be installed on all floor levels including high-traffic areas Can be installed in 3-season cottages




































Wide and extra long planks Warm and comfortable Attached cork underlayment Matching moldings available WARRANTY

Residential Use: 30 years

General Commercial Use: 10 years

Lifetime Petproof: Lifetime

Waterproof:

SAMPLE FORMAT

Strap set Plank

INSTALLATION

Floating Suitable over radiant heat Can be installed on all floor levels
























Beautiful designs Warm and comfortable Attached cork underlayment Matching moldings available WARRANTY

10 years

Residential Use: 30 years **General Commercial Use:** Waterproof: Lifetime Petproof: Lifetime

SAMPLE FORMAT

Strap set Display board (24" x 12") Flip board (21" x 36") Plank

INSTALLATION

Floating Suitable over radiant heat Can be installed on all floor levels













HYDRALUXE | 17









FEATURES

Beautiful and unique visuals Wide planks
Suitable for high traffic Matching moldings offered

WARRANTY

10 years

Residential Use: 30 years **General Commercial Use:**

Waterproof: Lifetime Petproof: Lifetime

SAMPLE FORMAT

Strap set Display board (24" x 12") Flip board (21" x 36") Plank

INSTALLATION

Floating Suitable over radiant heat Can be installed on all floor levels











CONSTRUCTION

Beaulieu Canada's Engineered Luxury Vinyl and Rigid Engineered Luxury Vinyl provide a comfortable, quiet and warm flooring.




WITHOUT CORK BACKING






♣HydraLuxe Rigid®

PLAYA COLLECTION



Durable UV-cured polyurethane wear layer PVC Decor film Vinyl middle layer Rigid core Vinyl balance layer Cork backing

COVE COLLECTION



CERTIFICATIONS



BEAULIEU LAB CERTIFIED

Ensures that the floor covering you're buying surpasses industry quality standards.

✓ Low Volatile Organic Compounds (VOC) ✓ Wear / Abrasion resistance

✓ Dimensional stability



FLOORSCORE

Certifies compliance with rigorous indoor air quality requirements.



PHTHALATES FREE

Your product will not release any phthalates into the air you are breathing.



CERTIFIED E1

Certifies that the product meets the European standard for indoor air quality.

DISPLAYS







SINGLE TOWER (LIMITED EDITION) DISPLAY SIZE:

32" W x 77" H x 25" D SAMPLE SIZE: 16" W x 18" H





STACKER DISPLAY SIZE: 20" W x 24" H x 40" D

SAMPLE SIZE: 36" W x 21" H

CHART

CERTIFICATIONS

BLC • FloorScore • Phthalates free

INSTALLATION METHODS

Floating • Suitable over radiant heat

COLLECTION	SKU	COLOR	FINISH	WIDTH	WEAR LAYER THICKNESS
Adventure	6030	Himalaya	UV-Cured Polyurethane / Smooth and soft handscraped	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Adventure	6031	Machu Picchu	UV-Cured Polyurethane / Registered Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Adventure	6032	Kilimandjaro	UV-Cured Polyurethane / Registered Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Adventure	6033	Mont Blanc	UV-Cured Polyurethane / Registered Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Adventure	6034	Makalu	UV-Cured Polyurethane / Registered Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Adventure	6035	Pyrenees	UV-Cured Polyurethane / Registered Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6036	Macadamia	UV-Cured Acrylic / Grain Texture	8.858" (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6037	Karuka	UV-Cured Acrylic / Grain Texture	8.858" (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6038	Pecan	UV-Cured Acrylic / Handscraped	8.858'' (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6039	Hanza	UV-Cured Acrylic / Grain Texture	8.858'' (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6040	Almond	UV-Cured Acrylic / Handscraped	8.858'' (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6041	Hazelnut	UV-Cured Acrylic / Grain Texture	8.858" (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6042	Quinoa	UV-Cured Acrylic / Grain Texture	8.858" (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6043	Chestnut	UV-Cured Acrylic / Grain Texture	8.858" (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6044	Cashew	UV-Cured Acrylic / Boiserie	8.858" (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6045	Coconut	UV-Cured Acrylic / Registered Embossed	8.858" (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6046	Amaranth	UV-Cured Acrylic / Boiserie	8.858" (225 mm)	0.022" (0.55 mm, 22 mil.)
Expedition	6047	Pinenut	UV-Cured Acrylic / Registered Embossed	8.858" (225 mm)	0.022" (0.55 mm, 22 mil.)
Globe Trotter	6020	Washington	UV-Cured Acrylic / Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Globe Trotter	6021	Sydney	UV-Cured Acrylic / Grain Texture	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Globe Trotter	6022	Mykonos	UV-Cured Acrylic / Registered Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Globe Trotter	6023	Rio de Janeiro	UV-Cured Acrylic / Registered Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Globe Trotter	6024	Copenhague	UV-Cured Acrylic / Registered Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)
Globe Trotter	6025	Berlin	UV-Cured Acrylic / Registered Embossed	7.087" (180 mm)	0.022" (0.55 mm, 22 mil.)

WARRANTY

Residential use: 30 years • **General Commercial Use:** 10 years Waterproof: Lifetime • Petproof: Lifetime

EDGE

Adventure / Globe Trotter I Välinge 2G: Angle-to-angle • 4-Sided Micro Bevel **Expedition I** Välinge 5G: Drop Lock • 4-Sided Micro Bevel

IIC / STC

Adventure I 72 / 69 **Globe Trotter I** 71 / 69 **Expedition I** 72 / 71

VINYL THICKNESS	CORE THICKNESS	CORK THICKNESS	TOTAL THICKNESS	FIXED LENGTH	SQ.FT./BOX
0.071" (1.8 mm)	0.177" (4.5 mm)	0.059" (1.5 mm)	0.307" (7.8 mm)	48.031" (1220 mm)	18.91
0.071" (1.8 mm)	0.177" (4.5 mm)	0.059" (1.5 mm)	0.307" (7.8 mm)	48.031" (1220 mm)	18.91
0.071" (1.8 mm)	0.177" (4.5 mm)	0.059" (1.5 mm)	0.307" (7.8 mm)	48.031" (1220 mm)	18.91
0.071" (1.8 mm)	0.177" (4.5 mm)	0.059" (1.5 mm)	0.307" (7.8 mm)	48.031" (1220 mm)	18.91
0.071" (1.8 mm)	0.177" (4.5 mm)	0.059" (1.5 mm)	0.307" (7.8 mm)	48.031" (1220 mm)	18.91
0.071" (1.8 mm)	0.177" (4.5 mm)	0.059" (1.5 mm)	0.307" (7.8 mm)	48.031" (1220 mm)	18.91
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047'' (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.079" (2 mm)	0.197" (5 mm)	0.059" (1.5 mm)	0.335" (8.5 mm)	72.047" (1830 mm)	26.59
0.059" (1.5 mm)	0.157" (4 mm)	N/A	0.217" (5.5 mm)	48.031" (1220 mm)	18.91
0.059" (1.5 mm)	0.157" (4 mm)	N/A	0.217" (5.5 mm)	48.031" (1220 mm)	18.91
0.059" (1.5 mm)	0.157" (4 mm)	N/A	0.217" (5.5 mm)	48.031" (1220 mm)	18.91
0.059" (1.5 mm)	0.157" (4 mm)	N/A	0.217" (5.5 mm)	48.031" (1220 mm)	18.91
0.059" (1.5 mm)	0.157" (4 mm)	N/A	0.217" (5.5 mm)	48.031" (1220 mm)	18.91
0.059" (1.5 mm)	0.157" (4 mm)	N/A	0.217" (5.5 mm)	48.031" (1220 mm)	18.91

CHART

CERTIFICATIONS

BLC • FloorScore • Phthalates free • Indoor Air Quality E1

INSTALLATION METHODS

Floating • Suitable over radiant heat • Can be installed on all floor levels

Playa 2130 Bora Bora Enhanced UV-Cured Polyurethane (ceramic bead technology) 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2131 Chesterman Enhanced UV-Cured Polyurethane (ceramic bead technology) 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2132 Flamenco Enhanced UV-Cured Polyurethane (ceramic bead technology) 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2133 Ocata Enhanced UV-Cured Polyurethane (ceramic bead technology) 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2134 Paloma Enhanced UV-Cured Polyurethane (ceramic bead technology) 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2135 Pinarello Enhanced UV-Cured Polyurethane (ceramic bead technology) 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2135 Pinarello Enhanced UV-Cured Polyurethane (ceramic bead technology) 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Cove 2140 Macarro Enhanced UV-Cured Polyurethane (ceramic bead technology) 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2141 McWay Enhanced UV-Cured Polyurethane (cerami	COLLECTION	SKU	COLOR	FINISH	WIDTH	WEAR LAYER THICKNESS
Playa 2131 Chesterman (ceramic bead technology) Registered Embossed / Mat Finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2132 Flamenco Enhanced UV-Cured Polyurethane (ceramic bead technology) Registered Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2133 Ocata Enhanced UV-Cured Polyurethane (ceramic bead technology) Registered Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2134 Paloma Enhanced UV-Cured Polyurethane (ceramic bead technology) Registered Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2135 Pinarello Enhanced UV-Cured Polyurethane (ceramic bead technology) Registered Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Cove 2140 Macarro Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2141 McWay Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2143 Peggy's Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (Playa	2130	Bora Bora	(ceramic bead technology)	7.087" (180 mm)	
Playa 2132 Flamenco (ceramic bead technology) Registered Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2133 Ocata Enhanced UV-Cured Polyurethane (ceramic bead technology) Registered Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2134 Paloma Enhanced UV-Cured Polyurethane (ceramic bead technology) Registered Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2135 Pinarello Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Cove 2140 Macarro Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2141 McWay Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2143 Peggy's Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2144 Prussia Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0	Playa	2131	Chesterman	(ceramic bead technology)	7.087" (180 mm)	
Playa 2133 Ocata (ceramic bead technology) Registered Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2134 Paloma Enhanced UV-Cured Polyurethane (ceramic bead technology) Registered Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Playa 2135 Pinarello Enhanced UV-Cured Polyurethane (ceramic bead technology) Medium Embossed / Mat finish 7.087" (180 mm) 0.022" (0.55 mm, 22 mil.) Cove 2140 Macarro Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2141 McWay Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2142 Mesquida Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2143 Peggy's Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2144 Prussia Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012"	Playa	2132	Flamenco	(ceramic bead technology)	7.087" (180 mm)	0.022
Playa2134Paloma(ceramic bead technology) Registered Embossed / Mat finish7.087" (180 mm)0.022" (0.55 mm, 22 mil.)Playa2135PinarelloEnhanced UV-Cured Polyurethane (ceramic bead technology) Medium Embossed / Mat finish7.087" (180 mm)0.022" (0.55 mm, 22 mil.)Cove2140MacarroEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2141McWayEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2142MesquidaEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2143Peggy'sEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2144PrussiaEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2145TiltEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)	Playa	2133	Ocata	(ceramic bead technology)	7.087" (180 mm)	
Playa2135Pinarello(ceramic bead technology) Medium Embossed / Mat finish7.087" (180 mm)0.022 (0.55 mm, 22 mil.)Cove2140MacarroEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2141McWayEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2142MesquidaEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2143Peggy'sEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2144PrussiaEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2145TiltEnhanced UV-Cured Polyurethane (ceramic bead technology)5.906" (150 mm)0.012" (0.30 mm, 12 mil.)	Playa	2134	Paloma	(ceramic bead technology)	7.087" (180 mm)	
Cove2140Macarro(ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2141McWayEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2142MesquidaEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2143Peggy'sEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2144PrussiaEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2145TiltEnhanced UV-Cured Polyurethane (ceramic bead technology)5.906" (150 mm)0.012" (0.30 mm, 12 mil.)	Playa	2135	Pinarello	(ceramic bead technology)	7.087" (180 mm)	
Cove2141McWay(ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2142MesquidaEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2143Peggy'sEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2144PrussiaEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2145TiltEnhanced UV-Cured Polyurethane (ceramic bead technology)5.906" (150 mm)0.012" (0.30 mm, 12 mil.)	Cove	2140	Macarro	(ceramic bead technology)	5.906" (150 mm)	
Cove2142Mesquida(ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2143Peggy'sEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2144PrussiaEnhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish5.906" (150 mm)0.012" (0.30 mm, 12 mil.)Cove2145TiltEnhanced UV-Cured Polyurethane (ceramic bead technology)5.906" (150 mm)0.012" (0.30 mm, 12 mil.)	Cove	2141	McWay	(ceramic bead technology)	5.906" (150 mm)	
Cove 2143 Peggy's (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2144 Prussia Enhanced UV-Cured Polyurethane (ceramic bead technology) Embossed / Mat Finish 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.) Cove 2145 Tilt Enhanced UV-Cured Polyurethane (ceramic bead technology) 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.)	Cove	2142	Mesquida	(ceramic bead technology)	5.906" (150 mm)	
Cove 2144 Prussia (ceramic bead technology) 5.906" (150 mm) (0.30 mm, 12 mil.) Enhanced UV-Cured Polyurethane (ceramic bead technology) 5.906" (150 mm) 0.012" (0.30 mm, 12 mil.)	Cove	2143	Peggy's	(ceramic bead technology)	5.906" (150 mm)	0.0.12
Cove 2145 Tilt (ceramic bead technology) 5.906" (150 mm) (0.012	Cove	2144	Prussia	(ceramic bead technology)	5.906" (150 mm)	
Embosod / Wat milion	Cove	2145	Tilt		5.906" (150 mm)	

WARRANTY

Playa | Residential use: Lifetime • General commercial use: 15 years

Waterproof: Lifetime • Petproof: Lifetime

Cove | Residential use: Lifetime • Light commercial use: 5 years

Waterproof: Lifetime • Petproof: Lifetime

I4F: 3L TripleLock and Click4U technologies • Playa I 4-Sided Macro Painted Bevel Cove I 4-Sided Micro Bevel

IIC	STC	CORE THICKNESS	BACKING THICKNESS	TOTAL THICKNESS	FIXED LENGTH	SQ.FT./BOX
71	71	0.157" (4 mm)	0.0394" (1 mm) Cork	0.197" (5 mm)	48.031" (1220 mm)	18.91
71	71	0.157" (4 mm)	0.0394" (1 mm) Cork	0.197" (5 mm)	48.031" (1220 mm)	18.91
71	71	0.157" (4 mm)	0.0394" (1 mm) Cork	0.197" (5 mm)	48.031" (1220 mm)	18.91
71	71	0.157" (4 mm)	0.0394" (1 mm) Cork	0.197" (5 mm)	48.031" (1220 mm)	18.91
71	71	0.157" (4 mm)	0.0394" (1 mm) Cork	0.197" (5 mm)	48.031" (1220 mm)	18.91
71	71	0.157" (4 mm)	0.0394" (1 mm) Cork	0.197" (5 mm)	48.031" (1220 mm)	18.91
66	68	0.126" (3.2 mm)	0.0394" (1 mm) Foam	0.165" (4.2 mm)	48.031" (1220 mm)	23.64
66	68	0.126" (3.2 mm)	0.0394" (1 mm) Foam	0.165" (4.2 mm)	48.031" (1220 mm)	23.64
66	68	0.126" (3.2 mm)	0.0394" (1 mm) Foam	0.165" (4.2 mm)	48.031" (1220 mm)	23.64
66	68	0.126" (3.2 mm)	0.0394" (1 mm) Foam	0.165" (4.2 mm)	48.031" (1220 mm)	23.64
66	68	0.126" (3.2 mm)	0.0394" (1 mm) Foam	0.165" (4.2 mm)	48.031" (1220 mm)	23.64
66	68	0.126" (3.2 mm)	0.0394" (1 mm) Foam	0.165" (4.2 mm)	48.031" (1220 mm)	23.64

MOLDINGS

We offer matching moldings to perfectly complement your engineered luxury vinyl floors.

T-MOLDING

This molding is used in doorways and entryways or for transition between same floor levels. Transition moldings are required every 60 feet (18.29 m) in any direction and at all doorways.

REDUCER

This molding provides a smooth transition between floor coverings with different heights.

FLUSHMOUNT STAIR NOSE

This molding is used to properly finish each step and enhance the beauty of a landing. Its main advantage is being of the same height as the floor covering which prevents it from becoming a trip hazard.



MOLDINGS:		T-MOLDING	REDUCER	FLUSHMOUNT STAIR NOSE
COLLECTIONS	:			
Adventure	Matching	✓	✓	✓
Expedition	Matching	✓	✓	✓
Globe Trotter	Matching	✓	✓	✓
Playa	Matching	✓	✓	✓
Cove	Matching	✓	✓	✓

ABOUT US

FLOORING PROFESSIONALS

Beaulieu Canada is a leading Canadian carpet manufacturer with over 55 years of experience in the manufacturing, distribution and sales of floor covering. In 2005, Beaulieu Canada broadened its product offering to include quality hard surface flooring which today consists of:

Carpet | Engineered Hardwood | Engineered Luxury Vinyl **Luxury Vinyl | Laminate | Sheet Vinyl | Carpet Tiles**

Backed by the success of its European-inspired color selections and designs, modern merchandising and customized products, Beaulieu Canada prides itself on delivering the right colors and the right designs to customers across North America.

FRESH APPROACH TO STYLING

Beaulieu Canada continuously launches innovative products to meet the needs of the flooring market. Investing in research and development, building strong business relationships and a talented marketing and design team are what have assisted Beaulieu Canada in being positioned as a trend setter in the flooring industry; all of which is displayed with fresh merchandising, effective and versatile B2C samples and trendy color selections launched on a regular basis.

THE RIGHT FLOORING

The RIGHT flooring is having the **right color** selection and the **right design** of products in the **right format** for distributors and retailers; which is what Beaulieu Canada is known for. With investments in multiple market segments from residential and commercial to property management, Beaulieu Canada offers multiple flooring collections to satisfy various business segments. All products are tested, certified or inspected to ensure they surpass industry standards.



RIGHT
COLOR
RIGHT
DESIGN